VOL. 548, NOS. 1+2 JOURNAL OF CHROMATOGRAPHY JULY 12, 1991

CONTENTS

10TH INTERNATIONAL SYMPOSIUM ON HIGH-PERFORMANCE LIQUID CHROMATOGRAPHY OF PROTEINS, PEPTIDES AND POLYNUCLEOTIDES, WIESBADEN, OCTOBER 29–31, 1991

Foreword 1

THEORY

Investigations of liquid–liquid partition chromatography of proteins
by M.-R. Kula, L. Elling and A. Walsdorf (Jülich, Germany) 3

Hydrophilic-interaction chromatography of peptides on hydrophilic and strong cation-exchange columns
by B.-Y. Zhu, C. T. Mant and R. S. Hodges (Edmonton, Canada) 13

Evaluation of kinetic models for biospecific adsorption and its implications for finite bath and column performance
by M. A. McCoy and A. I. Liapis (Rolla, MO, USA) 25

Multivalent ion-exchange model of biopolymer chromatography for mass overload conditions
by P. Cysewski (Bydgoszcz, Poland), A. Jaulmes, R. Lemque, B. Sébille and C. Vidal-Madjar (Thiais, France) and G. Jilge (Mainz, Germany) 61

Application of the split-peak effect to study the adsorption kinetics of human serum albumin on a reversed-phase support
by C. Vidal-Madjar, H. Place, L. Boulkanz and A. Jaulmes (Thiais, France) 81

Solution properties of polyelectrolytes. VII. Non-ideal mechanisms in size-exclusion chromatography of synthetic polyions, peptides and proteins
by E. Perez-Paya, L. Braco, C. Abad, V. Soria and A. Campos (Valencia, Spain) 93

High-performance liquid chromatography of amino acids, peptides and proteins. CX. Principal component analysis of four sets of group retention coefficients derived from reversed-phase high-performance liquid chromatography of peptides
by M. C. J. Wilce, M. I. Aguilar and M. T. W. Hearn (Clayton, Australia) 105

High-performance liquid chromatography of amino acids, peptides and proteins. CXI. Retention behaviour of proteins with macroporous tentacle-type anion exchangers
by M. T. W. Hearn, A. N. Hodder, F. W. Fang and M. I. Aguilar (Clayton, Australia) . 117

High-performance liquid chromatography of amino acids, peptides and proteins. CXII. Analysis of operating parameters affecting the breakthrough curves in fixed-bed chromatography of proteins using several mathematical models
by A. Johnston, Q. M. Mao and M. T. W. Hearn (Clayton, Australia) 127

High-performance liquid chromatography of amino acids, peptides and proteins. CXIII. Predicting the performance of non-porous particles in affinity chromatography of proteins
by Q. M. Mao, A. Johnston, I. G. Prince and M. T. W. Hearn (Clayton, Australia) . . . 147

SORBENTS

Characterization of synthetic macroporous ion-exchange resins in low-pressure cartridges and columns. Evaluation of the performance of Macro-Prep 50 S resin in the purification of anti-Klenow antibodies from goat serum
by L. Dunn, M. Abouelezz, L. Cummings, M. Navvab, C. Ordunez, C. J. Siebert and K. W. Talmadge (Richmond, CA, USA) 165

Comparison of silica-based cyanopropyl and octyl reversed-phase packings for the separation of peptides and proteins
by N. E. Zhou and C. T. Mant (Edmonton, Canada), J. J. Kirkland (Wilmington, DE, USA) and R. S. Hodges (Edmonton, Canada) 179

Silica *versus* polymer-based stationary phases for reversed-phase high-performance liquid chromatographic analyses of rat insulin biosynthesis. A comparison of resolution and recovery
by S. Linde and B. S. Welinder (Gentofte, Denmark) 195

Ion-exchange high-performance liquid chromatography of nucleotides and polypeptides on new types of ion-exchange sorbents, based on polystyrene-coated silicas
by A. A. Kurganov and V. A. Davankov (Moscow, USSR) and K. K. Unger (Mainz, Germany) 207

High-performance liquid chromatography and ultrafiltration of whey proteins with inorganic porous materials coated with polyvinylimidazole derivatives
by B. Chaufer, M. Rollin and B. Sébille (Thiais, France) 215

AFFINITY CHROMATOGRAPHY

Purification of *Phleum pratense* pollen extract by immunoaffinity chromatography and high-performance ion-exchange chromatography
by E. Bolzacchini, P. Di Gennaro, G. Di Gregorio, B. Rindone, P. Falagiani and G. Mistrello (Milan, Italy) and I. Sondergaard (Copenhagen, Denmark) 229

A ten-residue fragment of an antibody (mini-antibody) directed against lysozyme as ligand in immunoaffinity chromatography
by G. W. Welling, J. van Gorkum, R. A. Damhof and J. W. Drijfhout (Groningen, Netherlands), W. Bloemhoff (Leiden, Netherlands) and S. Welling-Wester (Groningen, Netherlands) 235

Effect of antigen size on optimal ligand density of immobilized antibodies for a high-performance liquid chromatographic support
by J. W. Wheatley (Berkeley, CA, USA) 243

Affinity of trypsin for amidine derivatives immobilized on dextran-coated silica supports
by M. Ellouali, S. Khamlichi, J. Jozefonvicz and D. Muller (Villetaneuse, France) 255

PREPARATIVE CHROMATOGRAPHY

Multi-column preparative reversed-phase sample displacement chromatography of peptides
by R. S. Hodges, T. W. L. Burke and C. T. Mant (Edmonton, Canada) 267

Analysis and purification of DNA restriction fragments by high-performance liquid chromatography
by P. L. Mauri, P. G. Pietta and M. Pace (Milan, Italy) 281

High-performance liquid chromatographic purification of antiviral components in Neuramide
by S. Giacobbe, N. Miraglia and B. Rindone (Milan, Italy), G. Folchitto (Ariccia, Italy) and G. Antonelli (Rome, Italy) 289

ANALYTICAL APPLICATIONS

Glycosylation of extracellular superoxide dismutase studied by high-performance liquid chromatography and mass spectrometry
by M. Strömqvist (Umeå, Sweden) and J. Holgersson and B. Samuelsson (Gothenburg, Sweden) 293

Peptide maps at picomolar levels obtained by reversed-phase high-performance liquid chromatography and pre-column derivatization with phenyl isothiocyanate. Microsequencing of phenylthiocarbamyl peptides
by F. J. Colilla (Madrid, Spain), S. P. Yadav and K. Brew (Miami, FL, USA) and E. Mendez (Madrid, Spain) 303

Fingerprinting of molecular components in individual human cerebrospinal fluid samples with a new micropurification system
by F. Nyberg, S. Lyrenäs and Å. Danielsson (Uppsala, Sweden) 311

High-performance liquid chromatographic determination of peptides in biological fluids by automated pre-column fluorescence derivatization with fluorescamine
by V. K. Boppana, C. Miller-Stein, J. F. Politowski and G. R. Rhodes (King of Prussia, PA, USA) 319

Separation of acidic peptides by reversed-phase ion-pair chromatography. Analytical application to a series of acidic substrates of casein kinases
by A. Calderan, P. Ruzza, O. Marin, M. Secchieri, G. Borin and F. Marchiori (Padova, Italy) 329

Animal test or chromatography? Validated high-performance liquid chromatographic assay as an alternative to the biological assay for ornipressin
by R. H. Buck, M. Cholewinski and F. Maxl (Basle, Switzerland) 335

Non-radioactive detection of MHC class II–peptide antigen complexes in the sub-picomole range by high-performance size-exclusion chromatography with fluorescence detection
by H. Kalbacher and H. Kropshofer (Tübingen, Germany) 343

High-performance liquid chromatographic separation of modified and native melittin following transglutaminase-mediated derivatization with a dansyl fluorescent probe
by E. Perez-Paya, L. Braco and C. Abad (Valencia, Spain) and J. Dufourcq (Pessac, France) 351

Phenotyping of bovine milk proteins by reversed-phase high-performance liquid chromatography
by S. Visser, C. J. Slangen and H. S. Rollema (Ede, Netherlands) 361

Separation and quantitation of serum proinsulin and proinsulin intermediates in humans
by S. Linde, M. E. Røder, S. G. Hartling, C. Binder and B. S. Welinder (Gentofte, Denmark) 371

OTHER SEPARATION METHODS

Structure–stability relationship of Immobiline chemicals for isoelectric focusing as monitored by capillary zone electrophoresis
by M. Chiari, C. Ettori, A. Manzocchi and P. G. Righetti (Milan, Italy) 381

Effects of temperature, carrier composition and sample load in asymmetrical flow field-flow fractionation
by A. Litzén (Uppsala, Sweden) and K.-G. Wahlund (Lund, Sweden) 393

Author Index 407

In articles with more than one author, the name of the author to whom correspondence should be addressed is indicated in the article heading by a 6-pointed asterisk (*)